

Final Snapshot

Identification of Bagged Racks Using Machine Learning Algorithms

Project Code Prepared by 2021-1275 MEQ Probe

Date Submitted 12/04/22

Disclaimer The information contained within this publication has been prepared by a third party commissioned by Australian Meat Processor Corporation Ltd (AMPC). It does not necessarily reflect the opinion or position of AMPC. Care is taken to ensure the accuracy of the information contained in this publication. However, AMPC cannot accept responsibility for the accuracy or completeness of the information or opinions contained in this publication, nor does it endorse or adopt the information contained in this report.

Project Description

This project concerns the development of algorithms, software and machine learning models to identify bagged lamb rack primals on an abattoir conveyor belt at chain speed. The automated identification of these primals has the potential to offer significant advantages to processors in terms of product reliability and reduced labor costs, and would additionally represent a strong foundation on which the development of related models and systems could be based for other applications relevant to meat processors. The outlined objectives of the project were:

- To produce a labelled dataset consisting of 30,000 images of bagged lamb racks.
- To develop a machine learning model that is able to identify a bagged lamb rack on the GMP boning belt with 99.9% accuracy at chain speed.
- To develop a machine learning system that can alert a nearby user if the model is unsure, allowing for manual override.

Project Content

This project had several processes to allow for the development of the final machine learning algorithms for the detection of bagged lamb racks. The initial phase included data collection, first manually by human operators and then by the modular camera system with automation, to build a high-quality dataset which was used for model training, and analysis. Data labelling began in this phase, both manual and computer-assisted on collected images, annotating the correct locations and identifying lamb primals. Once bulk data capture and labelling had occurred, machine learning model development followed, focusing on training an algorithm to recognise bagged lamb rack primals in images. Further development and implementation of algorithms occurred in model output post-processing, using the machine learning model's predictions to utilise images taken across time and from multiple camera angles to enhance the system's overall accuracy at the identification of bagged lamb rack primals. The final phase was system validation and evaluation, where a scheme was designed and implemented to quantitatively evaluate the accuracy of the system at the identification of bagged lamb rack primals and to ensure it meets the project objectives.

Project Outcome

The project attempted to satisfy three objectives, and each was achieved successfully:

- A labelled dataset consisting of 30,000 images of bagged lamb racks was collected.
- A machine learning model that is capable of identifying a bagged lamb rack on the GMP boning belt with 100% accuracy at chain speed was developed. A comprehensive evaluation scheme was designed and implemented to measure the accuracy, and the system's accuracy at identifying more than 1070 bagged lamb racks across the evaluation dataset was found to be 100%
- A sophisticated touch-screen graphical interface was developed for the system and tested to ensure that it is able to display relevant information about system operation to the user, able to alert the user to low-confidence detections, and allow the user to override the system if needed (see *Figure 1*).




Figure 1: Screen capture of GUI frontend running in a mode designed to display the total counts of each class of object that has passed by the system during the current session along with information about the system's operation, and allow the user to override the count if necessary.

Benefit for Industry

The success of this project provides strong evidence for the applicability of computer vision and machine learning techniques in the abattoir boning room, and we would recommend that further research and development be undertaken to bring these technologies to bear in further applications which have a direct and specific benefit to processors. In our opinion, these technologies could have immediate value in the following areas:

- Automatic Sorting: a machine learning/computer vision system could be developed to control mechanical systems such as belt diverters to enable automated sorting of meat cuts in certain situations.
- Supply Chain Traceability: with some expansion of scope, potentially including more cameras and processing
 nodes, the technologies used in this project could be applied to the problem of boning room traceability to
 track an individual carcase as it is transformed into primals and individual cuts.
- Quality Assurance: a machine learning/computer vision system could be developed to identify and count objects once boxed, and alert users to the presence of foreign objects

Useful resources

Not applicable.

Snapshot Report